

2007年 1月 1日 01:49	setupresult.php	Page 1
1 <?php /* vim: set fdm=marker: */ 2 include("common.php"); 3 include_once("../kses/kses.php"); //HTMLタグを禁止し、特定のタグのみ許可する方法 4 include_once("../code/jcode.php"); 5 html_start(); 6 starthead(); 7 headers(\$_REQUEST['diarytitle'], ".", "no-cash"); 8 ?> 9 10 11 <?php 12 /** 文字列を、ファイルに書き込む 13 * @param \$sstr 出力する文字列 14 * @param \$loca 出力する場所 15 */ 16 function dataWrite(\$sstr, \$loca) { 17 \$allowed = array('b' => array(), 18 'i' => array(), 19 'div' => array('class' => i), 20 'a' => array('href' => array('minlen' => 3, 'maxlen' => 50), 21 'target' => i, 'title' => array('valueless' => 'n')), 22 'p' => array('align' => i, 'dummy' => array('valueless' => 'y')), 23 'img' => array('src' => i), # FIXME 24 'font' => array('size' => array('minval' => 4, 'maxval' => 20)), 25 'br' => array() 26); 27 \$sstr = kses(\$sstr, \$allowed); 28 29 30 31 32 33 \$fp = fopen(\$loca, "w") or die; 34 \$sstr = strip_tags(\$sstr, "<h1><div><p><a>"); 35 \$sstr = JcodeConvert(\$str, 0, 2); 36 fputs(\$fp, \$sstr); 37 fclose(\$fp); 38 } 39 40 //メールアドレスを暗号化するために必要 41 //function random(\$max_value) { 42 // return floor(rand() * \$max_value); 43 //} 44 45 function cipher(\$string, \$rot) { 46 \$LOWEST_CHAR = 33; 47 \$HIGHEST_CHAR = 126; 48 \$NUM_CHARS = \$HIGHEST_CHAR - \$LOWEST_CHAR; 49 \$ciphered_text = ""; 50 \$x = strlen(\$string); 51 //print "strlen(string) = [\$x]"; 52 for (\$i = 0; \$i < strlen(\$string); \$i++) { 53 \$c = ord(\$string[\$i]); 54 //print " [\$c]"; 55 //\$c -= \$rot;		Page 1

2007年 1月 1日 01:49	setupresult.php	Page 2
55 //print " [\$c]"; 56 \$c = \$c - \$rot; 57 //print " [\$c] "; 58 //print " [\$c]"; 59 if (\$c < \$LOWEST_CHAR) { 60 \$c = \$HIGHEST_CHAR + (\$c - \$LOWEST_CHAR); 61 } 62 //print " [\$c] "; 63 \$ciphered_text .= chr(\$c); 64 // \$ciphered_text .= ord(\$string[\$i]); 65 } 66 return \$ciphered_text; 67 } 68 69 function getKey(\$rot) { 70 /** {{{ 71 \$decode_rot = 33 - \$rot; 72 if (\$decode_rot > 0) { 73 \$decode_rot *= -1; 74 } else { 75 \$decode_rot *=-1; 76 \$decode_rot = "+". \$decode_rot; 77 } 78 return \$decode_rot; 79 /**}}} 80 function escapeQuote(\$string) { 81 \$result = ""; 82 for (\$i = 0; \$i < strlen(\$string); \$i++) { 83 \$c = \$string[\$i]; 84 if (\$c == '"') { 85 \$result .= '\\\\'; 86 } else if (\$c == '\\ ') { 87 \$result .= '\\\\'; 88 } else if (\$c == '\\ ') { 89 \$result .= '\\\\'; 90 } else { 91 \$result .= \$c; 92 } 93 } 94 return \$result; 95 } 96 endHead(); 97 startBody(); 98 99 ?> 100 101 <?php 102 seth2Logo(".", 2, "管理者設定完了", 630); 103 ?> 104 <?php 105 //iniファイルを読み込む 106 \$inifile = "../setup.ini"; 107 \$hash = parse_ini_file(\$inifile); 108 \$titleimageextension = \$hash['titleimageextension'];		Page 2